

Resumo Aço Terreo Armadura longitudinal inferior	Comp. total (m)	Peso (kg)
CA-50 Ø6.3	1144.5	258

Obra
Armadura longitudinal inferior
Concreto: C30, em geral
Cobr.: 2.5 cm
Fck: 30 MPa

Elemento	Pos	Dim	Q	Dob (cm)	Peso (cm)	Dob (cm)	Comp (cm)	Total (cm)	CA-50 (kg)	CA-60 (kg)
Armadura longitudinal interior	1	Ø6.3	71	-	[illegible]	-	337	[illegible]	[illegible]	
	2	Ø6.3	44		384		384	16896	26.0	
	3	Ø6.3	9		384		384	3456	5.3	
	4	Ø6.3	3	-	[illegible]		[illegible]	[illegible]	[illegible]	
	5	Ø6.3	3	7	48		55	165	0.3	
	6	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	7	Ø6.3	2	-	583		592	1184	1.8	
	8	Ø6.3	2	7	242		249	498	0.7	
	9	Ø6.3	2	-	[illegible]		337	674	1.0	
	10	Ø6.3	2	-	748		757	1514	2.3	
	11	Ø6.3	2	7	[illegible]		324	648	1.0	
	12	Ø6.3	2		384		384	768	1.2	
	13	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	14	Ø6.3	2		748		748	1496	2.3	
	15	Ø6.3	2		384		384	768	1.2	
	16	Ø6.3	2		748		748	1496	2.3	
	17	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	18	Ø6.3	2		[illegible]		337	674	1.0	
	19	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	20	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
								Sub	[illegible]	
Armadura longitudinal [illegible]	21	Ø6.3	3	-	[illegible]	-	382	[illegible]	[illegible]	
	22	Ø6.3	[illegible]		[illegible]		[illegible]	[illegible]	[illegible]	
	23	Ø6.3	18	10	[illegible]	7	177	[illegible]	[illegible]	
	24	Ø6.3	8	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
	25	Ø6.3	[illegible]	-	[illegible]	10	[illegible]	[illegible]	[illegible]	
	26	Ø6.3	11	10	337	10	347	3847	5.6	
	27	Ø6.3	11	10	[illegible]	10	[illegible]	[illegible]	[illegible]	
	28	Ø6.3	21	10	[illegible]	10	[illegible]	[illegible]	[illegible]	
	29	Ø6.3	3	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
	30	Ø6.3	[illegible]		[illegible]		[illegible]	[illegible]	[illegible]	
	31	Ø6.3	4	-	[illegible]		[illegible]	[illegible]	[illegible]	
	32	Ø6.3	3		[illegible]		250	[illegible]	[illegible]	
	33	Ø6.3	[illegible]		[illegible]		[illegible]	[illegible]	[illegible]	
	34	Ø6.3	3	-	[illegible]		337	674	1.0	
	35	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	36	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	37	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	38	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	39	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	40	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	41	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	42	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	43	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
	44	Ø6.3	2		[illegible]		[illegible]	[illegible]	[illegible]	
								Sub	[illegible]	
								[illegible]	257.7	0.0
								Ø6.3	258.9	0.0
								Total	[illegible]	0.0



Resumo Aço Terreo Armadura longitudinal superior	Comp. total (m)	Peso (kg)	Total
CA-50 Ø6.3	500.1	122	
Ø8	377.2	243	271

Obra
Armadura longitudinal superior
Concreto: C30, em geral
Cobr.: 2.5 cm
Fck: 30 MPa

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]
[illegible]			
[illegible]			
[illegible]			
[illegible]			
[illegible]			
[illegible]			
[illegible]			
[illegible]			