



Elemento	Pos.	Diom.	$Q_1$	Lab. (cm)	Lab. (cm)	Lab. (cm)	$\rho$ (g/cm <sup>3</sup> )	$\rho$ (g/cm <sup>3</sup> )	$\rho$ (g/cm <sup>3</sup> )
Armadura transversal inferior	1	96.3	64	270	270	250	8.060	12.4	
	2	96.3	34	270	270	250	8.060	12.4	
	3	96.3	14	270	270	250	8.060	12.4	
	4	96.3	2	270	270	250	8.060	12.4	
	5	96.3	1	270	270	250	8.060	12.4	
	6	96.3	1	270	270	250	8.060	12.4	
	7	96.3	2	270	270	250	8.060	12.4	
	8	96.3	2	270	270	250	8.060	12.4	
	9	96.3	2	270	270	250	8.060	12.4	
	10	96.3	2	270	270	250	8.060	12.4	
	11	96.3	2	270	270	250	8.060	12.4	
	12	96.3	2	270	270	250	8.060	12.4	
	13	96.3	2	270	270	250	8.060	12.4	
	14	96.3	2	270	270	250	8.060	12.4	
	15	96.3	2	270	270	250	8.060	12.4	
	16	96.3	2	270	270	250	8.060	12.4	
	17	96.3	2	270	270	250	8.060	12.4	
	18	96.3	2	270	270	250	8.060	12.4	
	19	96.3	2	270	270	250	8.060	12.4	
	20	96.3	2	270	270	250	8.060	12.4	
	21	96.3	2	270	270	250	8.060	12.4	
	22	96.3	2	270	270	250	8.060	12.4	
	23	96.3	2	270	270	250	8.060	12.4	
	24	96.3	2	270	270	250	8.060	12.4	
	25	96.3	2	270	270	250	8.060	12.4	
	26	96.3	2	270	270	250	8.060	12.4	
	27	96.3	2	270	270	250	8.060	12.4	
	28	96.3	2	270	270	250	8.060	12.4	
	29	96.3	2	270	270	250	8.060	12.4	
	30	96.3	2	270	270	250	8.060	12.4	
	31	96.3	2	270	270	250	8.060	12.4	
	32	96.3	2	270	270	250	8.060	12.4	
	33	96.3	2	270	270	250	8.060	12.4	
	34	96.3	2	270	270	250	8.060	12.4	
	35	96.3	2	270	270	250	8.060	12.4	
	36	96.3	2	270	270	250	8.060	12.4	
	37	96.3	2	270	270	250	8.060	12.4	
	38	96.3	2	270	270	250	8.060	12.4	
	39	96.3	2	270	270	250	8.060	12.4	
	40	96.3	2	270	270	250	8.060	12.4	
	41	96.3	2	270	270	250	8.060	12.4	
	42	96.3	2	270	270	250	8.060	12.4	
	43	96.3	2	270	270	250	8.060	12.4	
	44	96.3	2	270	270	250	8.060	12.4	
	45	96.3	2	270	270	250	8.060	12.4	
	46	96.3	2	270	270	250	8.060	12.4	
	47	96.3	2	270	270	250	8.060	12.4	
	48	96.3	2	270	270	250	8.060	12.4	
	49	96.3	2	270	270	250	8.060	12.4	
	50	96.3	2	270	270	250	8.060	12.4	

[illegible]